Acetaminophen

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Expected Range: 10 - 20 mcg/ml (Therapeutic Range) Patient Preparation: None Causes for Rejection: Improper Labeling, Excessive Hemolysis CPT Code: 82003 MDH Procedure Code: 180072

Albumin

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 3.2 - 5.2 gm/dl Patient Preparation: None Causes for Rejection: Improper Labeling, Excessive Hemolysis CPT Code: 82040 MDH Procedure Code: 180002

Alcohol (Blood)

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Expected Range: < 10 mg/dl. (Intoxication = >80 mg/dl) Patient Preparation: Must clean site with non-alcohol prep Causes for Rejection: Improper Labeling, Excessive Hemolysis CPT Code: 82055 MDH Procedure Code: 180075

Alkaline Phos.

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 25 - 120 U/L Patient Preparation: None Causes for Rejection: Improper Labeling, Hemolysis CPT Code: 84075 MDH Procedure Code: 180003

Ammonia

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 16-53 UMOL/L Patient Preparation: None Causes for Rejection: Improper Labeling, Hemolysis CPT Code: 82140 MDH Procedure Code: 180092 Amylase, Plasma

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 5 - 115 U/L Patient Preparation: None Causes for Rejection: Improper Labeling CPT Code: 82150 MDH Procedure Code: 180004

Arterial Blood Gas

Specimen Requirement: 2 ml heparinized whole blood - 0n Ice Availability: As Needed or Stat within 1 hour Expected values pH 7.35 - 7.45

pCO2 35 - 45 mmHg pO2 80 - 90 mmHg HCO3 22 - 26 mmol/L CO2 23 - 32 mmol/L Base Excess -2 to 2 O2 96 - 97 % Cause for Rejection: Venous blood, Clotting, Improper labeling Patient Preparation: None CPT Code: 82803 MDH Procedure code: 180006

B-TNP Performing Laboratory: Chemistry

Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml EDTA Plasma (Lav Top) Expected Range: 0 - 100 pg/ml Patient Preparation: None Causes for Rejection: Improper Labeling CPT Code: 86255 MDH Procedure Code: 180675

BETA-HYDROXYBUTYRATE

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: Whole blood – Mint Green/Lav top Expected Range: < 0.6 MMOL?L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 82010 MDH Procedure Code: 184638

BHCG

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: < 3.0 MIU/ml Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84702 MDH Procedure Code: 180121

Bilirubin, Direct

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 0 - 0.2 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 82248 MDH Procedure Code: 180008

Bilirubin, Indirect

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 0.1 - 1.2 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 180009

Bilirubin, Total

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 0.1 - 1.4 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 82247 MDH Procedure Code: 180007

BUN

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 5 - 23 mg/dl Causes for Rejection: Improper Labeling Patient Preparation: None CPT Code: 84520 MDH Procedure Code: 180010

Calcium, Plasma

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours or Stat within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 8.5 - 10.5 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 82310 MDH Procedure Code: 180012

Carbon Monoxide

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours or Stat within 1 hour Specimen Requirement: whole blood - heparin Expected Range: 0.0 - 2.0 % Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 82375 MDH Procedure Code: 180071

Carbamazepine

Performing Laboratory: Special Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Therapeutic Range: 4 - 12 mcg/ml Specimen Requirement: Improper Labeling, Hemolysis Patient Preparation: Record time of last medication dose CPT Code: 80186 MDH Procedure Code: 180094

C DIFFICILE TOXINS A&B

Performing Laboratory: Microbiology Availability: Routine orders - 24 hours Specimen Requirement: Fresh Liquid Stool Specimen Expected Range: Negative Causes for Rejection: Improper Labeling, Solid specimen Patient Preparation: None CPT Code: 87493 MDH Procedure Code: 180216

CEA

Performing Laboratory: Chemistry Availability: Routine orders - 24 hours Specimen Requirement: 1ml Serum (Gold Top) Expected Range: < 3.0 ng/ml Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 82378 MDH Procedure Code: 180095

Chloride, Plasma

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 99 - 113 mmol/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 82435 MDH Procedure Code: 180057

Cholesterol, LDL Direct

Performing Laboratory: Chemistry Availability: Daily Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 65.0 – 159 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 83721 MDH Procedure Code: 180544

Cholesterol, Total

Performing Laboratory: Chemistry

Availability: Daily Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 100 - 200 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: 12 - 14 Hour Fasting Perferred CPT Code: 82465 MDH Procedure Code: 180018

Cholesterol, HDL

Performing Laboratory: Chemistry Availability: Daily Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 20 - 70 mg/dl Causes for Rejection: Improper Labeling Patient Preparation: 12 - 14 Hour Fasting CPT Code: 83718 MDH Procedure Code: 180064

CO2

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 23 - 32 mmol/L Causes for Rejection: Improper Labeling Patient Preparation: None CPT Code: 82374 MDH Procedure Code: 180011

Complete Blood Count

Performing Laboratory: Hematology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 EDTA Whole Blood (Lav Top) Hemoglobin Male: 13.5 - 16.5 g/dl Female: 12.0 - 15.0 g/dl Hematocrit: Male: 41 - 48% Female: 34 - 45% RBC: Male: 4.4 - 5.0x10^6/cumm Female: 3.8 - 5.9x10^6cu/mm RDW: 11.6 - 14.6 % MCV: 86 - 94 fl MCH: 29 - 33 uugm MCHC 33 - 36% WBC: 4.0 - 11.0x10^3/cumm Bands: 0 - 3% Neutrophils: 40 - 80% Lymphs: 20 - 55% Monos: 1 - 10% Eosinophils: 1 - 8% Basophiles 0 - 2 % Causes for Rejection: Improper Labeling, Hemolysis, CLOTTING Patient Preparation: None CPT Code: 85025 MDH Procedure Code: 180033

СРК

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: Male: 24 - 146 U/L Female: 17 - 121 U/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 82550 MDH Procedure Code: 181018

CRP C-Reactive Protein

Performing Laboratory: Chemistry Availability: Routine orders - 24 hours. Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: <0.8 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 86140 MDH Procedure Code: 182041

СКМВ

Performing Laboratory: Special Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 0.0 - 0 3.5 ng/ml Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 82553 MDH Procedure Code: 180019

Creatinine

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 0.52 - 1.2 mg/dl Causes for Rejection: Improper Labeling Patient Preparation: None CPT Code: 82565 MDH Procedure Code: 180020

Culture – Anaerobic

Performing Laboratory: Microbiology Specimen Requirement: Body Fluid or tissue collected utilizing Appropriate collection system Cause For Rejection Submitted more than one hour after collection Patient Preparation: Usually collected during surgery CPT Code: 87075 MDH Procedure Code: 180021

Culture – Abscess

Performing Laboratory: Microbiology Specimen Requirement: Fluid, Tissue or sterile swab. Specimen preferably collected by physician. Cause For Rejection Not submitted in sterile container Patient Preparation: None CPT Code: 87070 MDH Procedure Code: 182000

Culture – Blood

Performing Laboratory: Microbiology Specimen Requirement: Aerobic and Anaerobic blood culture system Cause For Rejection Insufficient volume, Vented Anaerobic Container Patient Preparation: Prep Phlebotomy site with Iodine Prep and Alcohol CPT Code: 87040 MDH Procedure Code: 182011

Culture – CSF

Performing Laboratory: Microbiology Specimen Requirement: 1 cc CSF in sterile CSF tubes Cause For Rejection Improper collection. Specimen received more than 1 hour after collection. Improperly labeled tubes. Patient Preparation: None CPT Code: 87070 MDH Procedure Code: 182001

Culture – Sputum

Performing Laboratory: Microbiology Specimen Requirement: 5 c.c of Sputum from Deep Cough Cause For Rejection Improper labeling, Poor collection as seen by Gram Stain. Patient Preparation: None CPT Code: 87070 MDH Procedure Code: 182006

Culture - Stool (PCR)

Performing Laboratory: Microbiology Specimen Requirement: 100 Gram Feces collected in sterile container, Must be received into lab within 30 minutes Cause For Rejection: Improper labeling, Contamination with Urine Patient Preparation: None CPT Code: 87507 MDH Procedure Code: 184637

Culture – Throat

Performing Laboratory: Microbiology Specimen Requirement: Swab Transport System Cause For Rejection Improper Labeling, Specimen received more than 24 hours after collection Patient Preparation: No eating, Drinking, Smoking or gum chewing for more than 1 hour before collection. CPT Code: 87070 MDH Procedure Code: 180510

Culture – Urine

Performing Laboratory: Microbiology Specimen Requirement: Urine specimen collected as a Clean Catch or catherized specimen Cause For Rejection Improper labeling. Specimen should not show more than 10 Epithelial cells per HPF Patient Preparation: None CPT Code: 87070 MDH Procedure Code: 182008

Culture – Urogenital

Performing Laboratory: Microbiology Specimen Requirement: Sterile Swab Cause For Rejection Improper labeling. Specimen received more than 15 minutes after collection. Patient Preparation: None CPT Code: 87070 MDH Procedure Code: 182024

D-DIMER

Performing Laboratory: Special Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml EDTA Plasma (Lav Top) Therapeutic Range: <500 ng/ml feu Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: Record time of last medication dose CPT Code: 80162 MDH Procedure Code: 180609

Digoxin

Performing Laboratory: Special Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Therapeutic Range: 0.7 - 2.1 ng/ml Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: Record time of last medication dose CPT Code: 80162 MDH Procedure Code: 182024

Dilantin

Performing Laboratory: Special Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Therapeutic Range: 10 - 20 mcg/dl Specimen Requirement: Improper Labeling, Hemolysis Patient Preparation: Record time of last medication dose CPT Code: 80185 MDH Procedure Code: 180035

FERRITIN

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: M 10-259, F 5-116 ng/ml Causes for Rejection: Improper Labeling Patient Preparation: Before 10 am CPT Code: 82728 MDH Procedure Code: 180137

FREE T3

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: 2.4 – 4.2 pg/ml Causes for Rejection: Improper Labeling Patient Preparation: None CPT Code: 84481 MDH Procedure Code: 180102

FSH

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: M-1.5-14, F-1.0-129 MIU/ML Causes for Rejection: Improper Labeling Patient Preparation: None CPT Code: 83001 MDH Procedure Code: 180103

Gentamicin

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Expected Range: See report for expected range - Will vary depending if test is ordered as peak or trough. Causes for Rejection: Improper Labeling Patient Preparation: None CPT Code: 80170 MDH Procedure Code: 180070

GGT

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 0.62 – 1.51 IU/L Causes for Rejection: Improper Labeling Patient Preparation: None CPT Code: 82977 MDH Procedure Code: 180066

Glucose

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 70 - 100 mg/dl Causes for Rejection: Improper Labeling Patient Preparation: Fasting Perferred CPT Code: 82947 MDH Procedure Code: 180025

Hematocrit

Performing Laboratory: Hematology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 EDTA Whole BI (Lav Top) Expected Range: Male: 41 - 48% Female: 34 - 45% Causes for Rejection: Improper Labeling, Hemolysis, CLOTTING Patient Preparation: None CPT Code: 85027 MDH Procedure Code: 181011

Hemoglobin

Performing Laboratory: Hematology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 EDTA Whole BI (Lav Top) Hemoglobin Male: 13.5 - 16.5 g/dl Female: 12.0 - 15.0 g/dl Causes for Rejection: Improper Labeling, Hemolysis, CLOTTING Patient Preparation: None CPT Code: 85027 MDH Procedure Code: 181011

HIV I & II Ag/Ab Combo

Performing Laboratory: Serology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 EDTA tube And 1 SST Tube Hemoglobin Non-Reactve Cause for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 86703 MDH Procedure Code: 184605

HGB A1C

Performing Laboratory: Special Chemistry Availability: Daily Specimen Requirement: ETDA Whole Blood (Lav Top) Expected Range: 4.4 - 6.0 % Causes for Rejection: Improper Labeling Patient Preparation: NONE CPT Code: 83036 MDH Procedure Code: 180142

H pylori Antigen, Stool

Performing Laboratory: Microbiology Availability: Daily Specimen Requirement: Stool specimen Expected Range: Negative Causes for Rejection: Improper Labeling, Delay in delivery of specimen Patient Preparation: NONE CPT Code: 87338 MDH Procedure Code: 180679

Influenza, A&B NAT (RNA)

Performing Laboratory: Serology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: Nasal swab Expected Range: Negative Causes for Rejection: Improper Labeling Patient Preparation: NONE CPT Code: 87501 MDH Procedure Code: 184603

INSULIN

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1ml serum (Gold Top) Expected Range: 3.0 – 19.0 uIU/ML Causes for Rejection: Improper Labeling Patient Preparation: NONE CPT Code: 83525 MDH Procedure Code: 180149

IRON

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1ml serum (Gold Top) Expected Range: 40 – 181 mcg/dl Causes for Rejection: Improper Labeling Patient Preparation: Before 10 am CPT Code: 83540 TIBC 83550 MDH Procedure Code: 180066

KOH Prep

Performing Laboratory: Microbiology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: Swab Causes for Rejection: Improper Labeling Patient Preparation: NONE CPT Code: 87210 MDH Procedure Code: 180452

LACTATE

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Gray Top) Expected Range: 0.5 – 2.2 MMOL/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 83605 MDH Procedure Code: 180062

LEAD, CAPILLARY WHOLE BLOOD

Performing Laboratory: Chemistry Availability: Routine orders – 24 Hours Specimen Requirement: .5 ml Whole blood (special collection) Expected Range: < 5 mcg/dl: Recheck if > 5 mcg/dl Causes for Rejection: Must be capillary whole blood Patient Preparation: None CPT Code: 83655 MDH Procedure Code: 184681

LDH

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: Male: 96 - 186 U/L Female: 91 - 180 U/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 83615 MDH Procedure Code: 180037

Lipase

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 5 - 57 U/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 83690 MDH Procedure Code: 180038

Magnesium

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 1.8 - 2.3 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 83735 MDH Procedure Code: 180041

MONO -Spot

Performing Laboratory: Serology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Expected Range: Negative Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 86310 MDH Procedure Code: 184007

Platelet Count

Performing Laboratory: Hematology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 EDTA Whole BI (Lav Top) Expected Range: 140 - 400x10^6/cumm Cause For Rejection: Improper Labeling Patient Preparation: None CPT Code: 85590 MDH Procedure Code: 181004

Phosphorus

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 2.2 - 4.4 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84100 MDH Procedure Code: 180042

POTASSIUM (K+)

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 3.5 - 5.1 mmol/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84132 MDH Procedure Code: 180243

Pregnancy Test

(Serum) Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: Negative Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84703 MDH Procedure Code: 180044

Pregnancy Test

(Urine) Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 5 ml Urine Expected Range: Negative Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84703 MDH Procedure Code: 184079

Prolactin

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1ml Serum (Gold Top) Expected Range: 2.69 – 13.13 ng/ml Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84146 MDH Procedure Code: 180166

Protime

Performing Laboratory: Coagulation Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 full blue vacutainer Expected Range: 10.5 - 13.5 sec. Causes for Rejection: Improper Labeling, Hemolysis, Incomplete fill Patient Preparation: None CPT Code: 85610 MDH Procedure Code: 184079

PSA

Performing Laboratory: Special Chemistry Availability: Daily Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: 0 - 4.0 ng/ml Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: Draw prior to DRE CPT Code: 84153 MDH Procedure Code: 184001

PTH

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: 12 – 88 pg/ml Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 83970 MDH Procedure Code: 180415

PTT

Performing Laboratory: Coagulation Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 full blue vacutainer Expected Range: 21.0 - 37.2 sec. Causes for Rejection: Improper Labeling, Hemolysis, Incomplete fill Patient Preparation: None CPT Code: 85730 MDH Procedure Code: 180214

Quick Strep

Performing Laboratory: Microgiology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: Throat Swab Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 87430 MDH Procedure Code: 184202

Red Blood Count

Performing Laboratory: Hematology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 EDTA Whole BI (Lav Top) Expected Range: Male: 4.4 - 5.0x10^6/cumm Female: 3.8 - 5.9x10^6cu/mm Cause For Rejection: Improper Labeling Patient Preparation: None CPT Code: 85027 MDH Procedure Code: 182021

Respiratory PCR Panel

Performing Laboratory: Microbiology Availability: Routine orders - 4 hours. Stat orders within 2 hour Specimen Requirement: Resp Panel kit swab Specimen Requirement: Deliver to lab within 1 hour Patient Preparation: NasoPharyngeal swab collection CPT Code: 87486 MDH Procedure Code: 184648

Complete Blood Count

Performing Laboratory: Hematology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 EDTA Whole Blood (Lav Top) RET %: 0.42 - 2.23 % RET #: 0.0188 - 0.1086 X10^6/ul MRV: 96.4 - 122.7 fl IRF 0.26 - 0.54 Causes for Rejection: Improper Labeling, Hemolysis, CLOTTING Patient Preparation: None CPT Code: 85046 MDH Procedure Code: 181008

RSV

Performing Laboratory: Serology Availability: Routine orders - 4 hours. Specimen Requirement: Nasal Washing Expected Range: Negative Cause For Rejection Improper Labeling Patient Preparation: None CPT Code: 86756 MDH Procedure Code: 181011

RA Titer (Rheum Factor)

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1ml Serum (Gold Top) Expected Range: < 20 IU/ML Cause For Rejection Improper Labeling Patient Preparation: None CPT Code: 86431 MDH Procedure Code: 180468

Sed Rate

Performing Laboratory: Hematology Availability: Routine orders - 4 hours. Specimen Requirement: 1 EDTA Whole BI (Lav Top) Expected Range: Male: 0 - 20 mm/hr Female: 0 - 15 mm/hr Cause For Rejection Improper Labeling Patient Preparation: None CPT Code: 85651 MDH Procedure Code: 180445

SGOT (AST)

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 10 35 U/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84450 MDH Procedure Code: 181007

Salicylate

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Expected Range: Toxic: Greater 300 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 80196 MDH Procedure Code: 180077

SGPT (ALT)

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: Male: 5 - 45 U/L Female: 5 - 29 U/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84460 MDH Procedure Code: 180052

Sodium (Na+)

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 133 - 147 mmol/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84295 MDH Procedure Code: 180053

Stool FilmArray PCR

Performing Laboratory: Microbiology Availability: Routine orders - 4 hours. Stat orders within 2 hour Specimen Requirement: Fecal sample / Fecal swab Specimen Requirement: Deliver to lab within 1 hour Patient Preparation: Fecal sample / swab collection CPT Code: 87507 MDH Procedure Code: 184637

Stool Leuko (WBC)

Performing Laboratory: Serology Availability: Routine orders - 24 hours. Specimen Requirement: Stool specimen Expected Result: Negative Causes for Rejection: Improper Labeling Patient Preparation: None CPT Code: 83630 MDH Procedure Code: 184604

Sex Hormone Binding Globulin (SHBG)

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: 11.0 – 80 nmol/l Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: Before 10 AM. CPT Code: 84270 MDH Procedure Code: 180407

Testosterone

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: M 300 – 890 ng/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: Before 10 AM. CPT Code: 84403 MDH Procedure Code: 180172

Total Protein

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 6.0 - 8.4 g/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84155 MDH Procedure Code: 180046

Theophylline

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Therapeutic Range: 10 - 20 mcg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 80198 MDH Procedure Code: 180063

Transferrin

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: 200 – 400 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: Before 10 AM. CPT Code: 84466 MDH Procedure Code: 184576

Triglyceride

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 35 – 150 mg/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: Fasting CPT Code: 84478 MDH Procedure Code: 180063

Troponin I

Performing Laboratory: Special Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: 0.0 - 0.15 ng/ml Critical ≥ 4.0 ng/ml Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84484 MDH Procedure Code: 180036

T4 (Free)

Performing Laboratory: Special Chemistry Availability: Daily Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: .38 - 1.90 ng/dl Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84439 MDH Procedure Code: 180543

TSH

Performing Laboratory: Special Chemistry Availability: Daily Specimen Requirement: 1 ml Serum (Gold Top) Expected Range: 0.4 - 4.7 mlU/L Causes for Rejection: Improper Labeling, Hemolysis Patient Preparation: None CPT Code: 84443 MDH Procedure Code: 180140

Uric Acid

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Plasma (Mint Gr Top) Expected Range: Male: 3.5 - 8.1 mg/dl Female: 2.6 - 7.2 mg/dl Causes for Rejection: Improper Labeling Patient Preparation: None CPT Code: 84550 MDH Procedure Code: 180177

Vancomycin

Performing Laboratory: Hematology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Expacted Range: See report for expected range - Will vary depending if test is ordered as peak or trough Cause For Rejection Improper Labeling Patient Preparation: None CPT Code: 80202 MDH Procedure Code: 180055

Valproic Acid

Performing Laboratory: Special Chemistry Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 ml Serum (Red Top) Therapeutic Range: 50 - 100 mcg/dl Specimen Requirement: Improper Labeling, Hemolysis Patient Preparation: Record time of last medication dose CPT Code: 80164 MDH Procedure Code: 180190

Vitamin B-12

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1ml Serum (Gold Top) Expacted Range: 180 – 914 pg/ml Cause For Rejection Improper Labeling Patient Preparation: None CPT Code: 82607 MDH Procedure Code: 180180

Vitamin D – 250H

Performing Laboratory: Chemistry Availability: Routine orders - 4 hours. Specimen Requirement: 1ml Serum (Gold Top) Expacted Range: 20 - 80 ng/ml Cause For Rejection Improper Labeling Patient Preparation: None CPT Code: 82306 MDH Procedure Code: 180540

White Blood Count

Performing Laboratory: Hematology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: 1 EDTA Whole BI (Lav Top) Expacted Range: 4.0 - 11.0x10^3/cumm Cause For Rejection Improper Labeling Patient Preparation: None CPT Code: 85027 MDH Procedure Code: 180344

WET Prep

Performing Laboratory: Microbiology Availability: Routine orders - 4 hours. Stat orders within 1 hour Specimen Requirement: Swab Cause For Rejection Improper Labeling Patient Preparation: None CPT Code: 87210 MDH Procedure Code: 181011